





## SYNTipede X43

Unmatched durability with an unexpected soft touch makes this turf variety using Super Yarn™ an ideal selection for high foot traffic applications, including school playgrounds, public parks, and multiple commercial uses.

		Unmatched Lifetime Warranty
SKU	STX43	
Grass Zone Yarn/Color	PE / Field Green / Apple	EnviroLoc <sup>™</sup> Plant-Based Backing
Grass Zone Denier	10,800 / 6	Deluster + UV Protection
Thatch Zone Yarn/Color	PE / Field Green / Beige	ASTM E108 Class A Fire Rating
Thatch Zone Denier	5,000 / 8	
Grass Zone Yarn Shape	Omega	SUPER YARN <sup>™</sup> TECHNOLOGY
Finished Pile Height	1 1/2"	
Finished Pile Weight	100 oz.	Sanitized®DualChill™StatBlock™AntimicrobialIR ReflectiveAnti-Static
Backing	15 / 18 PP 2-Part / 22oz. EnviroLoc™	
Tuft Gauge	3/8"	
Total Weight	128 oz.	Artificial Grass Fiber
Tuft Bind	> 8 lbs.	Compacted Aggregate Base Geotextile Weed Barrier
Permeability	> 600 inches per / SY	
Features	Sanitized®, EnviroLoc™, StatBlock™ Anti-Static, DualChill™ IR Reflective, Deluster, UV Stabilizers	C Learn more at CADdetails.com Not to scale. For illustration only. RECOMMENDED USES
Test Data	ASTM E108 Class A Fire Rating, F1292, F1551, F1951	LANDSCAPE — PETS — PLAY — ROOFTOP — GOLF





For ordering and questions, contact Goat Turf at 615.906.6932 or visit GoatTurf.com





Primary Yarn Polymer	Polyethylene			
Yarn Cross Section	Omega	Primary Backing	15/18 PP 2-Part	
Standard Color	Field Green / Apple	Coating Type	22 oz. EnviroLoc™	
Fabric Construction	Tufted	PE Yarn Denier / Ends	10,800 / 6	
Second Yarn Polymer Thatch	Polyethylene	Texturized Thatch Denier / Ends	5,000 / 8	
Secondary Yarn Color	Field Green / Beige	Warranty Period	Limited Lifetime	

Finish Fabric	English	English System	
Nominal Specification	Value	Units	Method
Pile Height (Nominal)	1 1/2	inches	D-5823
Face Weight	100	oz/yd²	D-5848
Total Fabric Weight	128	oz/yd²	D-5848
Primary Backing Weight	6	oz/yd²	D-5848
Secondary Coating Weight	22	oz/yd²	D-5848
Tuft Bind	> 8	lbs.	D-1335
Grab Tear Strength (Average)	> 200	lbs.	D-5034
Total Yarn Linear Density	15,800	Denier	D-1577
Elongation to Break	> 30	%	D-2256
Yarn Breaking Strength	> 20	lbs.	D-5793
Machine Gauge	3/8	inches	D-5793
Flammability	Passed	-	D-2859
Water Permeability	> 600	in/hr	D-1551
Fabric Width	15	ft	-

